

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14432	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:14
L2	359	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) same (encode or encod\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:15
L3	203	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) with (encode or encod \$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:15
L4	29	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) with (encode or encod \$3) with (decode or decod \$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:16
L5	2	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) with (encode or encod \$3) with (decode or decod \$3) and (GPRS or GSM)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:16
L6	2	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) same (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:17

L7	108	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:17
L8	35	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:17
L9	6	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (queue or buffer or fifo) with (length or siz\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:18
L16	35	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:24
L17	26	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (queue or queu\$3 or buffer\$3 or fifo)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:24

L18	26	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (queue or queu\$3 or buffer\$3 or fifo)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:24
L19	26	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and quality	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:25
L20	32	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:26
L21	32	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3 or real\$1time)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:27

L23	12	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3 or real\$1time) and (monitor\$3 or check\$3 or track\$3 or calculat\$3 or detemrin\$3 or comput\$3) with (queue\$3 or buffer\$3 or fifo)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:28
L24	11	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3 or real\$1time) and (monitor\$3 or check\$3 or track\$3 or calculat\$3 or detemrin\$3 or comput\$3) with (queue\$3 or buffer\$3 or fifo) and (wireless or radio)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:30
L25	32	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:31
L27	32	(controller or processor) with (allocat\$3 or assign\$3 or designat\$3) with (bandwidth or resource\$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:32

L28	20	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3) and mobile	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:36
L29	39	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) same (encode or encod\$3) with (decode or decod\$3) and (GPRS or GSM) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:44
L30	6	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) same (encode or encod\$3) with (decode or decod\$3) and GPRS and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:44
L31	144	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) same (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:46
L32	8	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) same (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:46

L33	106	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:47
L34	29	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3) and mobile	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:47
L35	16	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3) and mobile with (base with station)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 15:53
L36	57	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3) and request\$3 with (bandwidth or resource)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:02

L37	9	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3) and (mobile or wireless) with request\$3 with (bandwidth or resource)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:02
L38	32	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) with (decode or decod\$3) and @ad<"20010116" and (quality or delay\$3) and request\$3 with (bandwidth or resource) and (wireless or radio)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:04
L39	96	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) and (controller or processor) with (encode or encod\$3) and @ad<"20010116" and (quality or delay\$3) and request\$3 with (bandwidth or resource) and (wireless or radio)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:09
L40	6	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) with (encode or encod \$3) and @ad<"20010116" and (quality or delay\$3) and request\$3 with (bandwidth or resource) and (wireless or radio)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:09

L41	11	(controller or processor) with (allocat\$3 or assign \$3 or designat\$3) with (bandwidth or resource \$1) same (encode or encod\$3) and @ad<"20010116" and (quality or delay\$3) and request\$3 with (bandwidth or resource) and (wireless or radio)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2010/05/22 16:13
-----	----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------	----	----	---------------------

**5/ 22/ 2010 4:19:58 PM**